CSP-2017-1_ND - NIPF_Forest

Soil Erosion

Sheet and Rill Erosion

Planning Criteria	Planning Criteria Met
Screening level: Soil surface organic residue cover > 80%. Assessment level: Site is stable and without visible signs of erosion.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
Drainage and erosion control measures are implemented on trails and landings to minimize detrimental effects of concentrated flow, erosion and sedimentation. Stream crossings are restored and stabilized.	Yes ☐ No ☐
The forest floor is covered with leaves, needles, fine woody debris, rocks, and/or herbaceous vegetation that protects the soil on more than 80 percent of the area.	Yes ☐ No ☐

Classic Gully Erosion

Planning Criteria	Planning Criteria Met
Screening level: Classic gullies are not present. Assessment level: Classic gully management is adequate to stop the progression of head cutting and widening and are offsite impacts are minimized by vegetation and/or structures.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
Soil erosion is controlled. There are no impacts on sensitive vegetation. There are no occurrences or enlargement of gullies.	Yes ☐ No ☐
Drainage and erosion control measures are implemented on trails and landings to minimize detrimental effects of concentrated flow, erosion and sedimentation. Stream crossings are restored and stabilized.	Yes ☐ No ☐

CSP-2017-1_ND - NIPF_Forest

Streambank, Shoreline, Water Conveyance Channels

Planning Criteria	Planning Criteria Met
Screening level: Streams, shoreline or channels are not adjacent to site. Assessment level: For shorelines and water conveyance channels; banks are stable or commensurate with normal geomorphological processes, AND if bank erosion is present, it is beyond the client's control or commensurate with normal geomorphological processes, AND for streambanks, SVAP2 bank condition element score > 5.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
Excluding all fundamentally unstable, natural geomorphic streambanks/shorelines, all streambanks/shorelines on the operation show few signs of erosion or bank failure. Each is stable and protected with natural materials.	Yes ☐ No ☐

CSP-2017-1_ND - NIPF_Forest

Soil Quality Degradation

Organic Matter Depletion

Planning Criteria	Planning Criteria Met
Screening level: Soil organic matter depletion is not a problem AND activities do not cause soil organic matter depletion. Assessment level: Ground cover meets state criteria specific to ecological site.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
The forest floor is covered with leaves, needles, fine woody debris, rocks, and/or herbaceous vegetation that protects the soil on more than 80 percent of the area. The topsoil is not displaced. Woody residue is being added to the forest floor through branch breakage and treefalls.	Yes ☐ No ☐

CSP-2017-1_ND - NIPF_Forest

Excess Water

Runoff and Flooding and Ponding

Planning Criteria	Planning Criteria Met
Screening level: Ponding or flooding not a problem AND activities do not cause ponding/flooding problems. Assessment level: Excess water is managed to meet client's objectives.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
Drainage and erosion control measures are implemented on trails and landings to minimize detrimental effects of concentrated flow, erosion and sedimentation. Stream crossings are restored and stabilized.	Yes ☐ No ☐

CSP-2017-1_ND - NIPF_Forest

Insufficient Water

Inefficient Moisture Management

Planning Criteria	Planning Criteria Met
Screening level: Moisture management is not a problem AND activities do not cause inefficient moisture management problems. Assessment level: Runoff and evapotranspiration levels are minimized to meet client's management objectives.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
Management choices include actions to limit moisture loss. For example, maintaining shade, retaining the forest litter layer, and maintaining correct stocking levels.	Yes ☐ No ☐

CSP-2017-1_ND - NIPF_Forest

Water Quality Degradation

Pesticides in Surface Water

Planning Criteria	Planning Criteria Met
Screening level: Pest control chemicals are not applied. Assessment level: Pesticides are stored, handled, disposed and managed to prevent runoff, spills, leaks and leaching AND conservation practices and managements are in place to minimize surface water impacts.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
A site-specific mixture of prevention, avoidance, monitoring, and suppression (PAMS) strategies are applied. If pesticide aplication is required, an environmental risk screening tool is used (such as WIN-PST or similar LGU approval tool) and application rates and timing are compliant with the label and the conservation plan.	Yes ☐ No ☐

Pesticides in Ground Water

Planning Criteria	Planning Criteria Met
Screening level: Pest control chemicals are not applied. Assessment level: Pesticides are stored, handled, disposed and managed to prevent runoff, spills, leaks and leaching AND conservation practices and managements are in place to minimize ground water impacts.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
Pesticides are applied using a site-specific mixture of prevention, avoidance, monitoring, and suppression (PAMS) strategies. Environmental risk screening tool are used (such as WIN-PST or similar LGU approval tool). Application rates and timing are compliant with the label and the conservation plan.	Yes ☐ No ☐

CSP-2017-1_ND - NIPF_Forest

Nutrients in Surface Water

Planning Criteria	Planning Criteria Met
Screening level: Organic or inorganic nutrients are not applied AND the PLU is not grazed AND there are no confined livestock areas. Assessment level: Nutrients if applied, are based on a soil test, tissue tests or nutrient budget AND conservation practices and managements are in place to minimize surface water impacts.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
The land adjacent to a stream, river, or other waterbody on the side or sides you control does: - have diverse, natural plant cover typical to that along streams in your area, - extend from the stream bank/shoreline for a distance of 35 feet or (if applicable) the minimum State buffer-width requirement, whichever is greater, AND - have few places where concentrated runoff flows through.	Yes ☐ No ☐
Livestock access to stream is controlled OR limited to small watering or crossing areas	Yes ☐ No ☐
Drainage and erosion control measures are implemented on trails and landings to minimize detrimental effects of concentrated flow, erosion and sedimentation. Stream crossings are restored and stabilized.	Yes ☐ No ☐

Nutrients in Ground Water

Planning Criteria	Planning Criteria Met
Screening level: Organic or inorganic nutrients are not applied AND the PLU is not grazed AND there are no confined livestock areas. Assessment level: Nutrients if applied, are based on a soil test, tissue tests or nutrient budget AND conservation practices and managements are in place to minimize ground water impacts.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
The forest or woodlot is fully stocked with tree species adapted to the site, has spacing for good tree growth and air flow between and beneath, does not have excessive tree mortality, has an understory made up of desirable species and is not inhibited by brush or other undesirable vegetation.	Yes ☐ No ☐

CSP-2017-1_ND - NIPF_Forest

Excess Pathogens and Chemicals from Manure, Bio-solids or Compost Applications in Surface Water

Planning Criteria	Planning Criteria Met
Screening level: Potential sources of pathogens or pharmaceuticals are not applied on the land. Assessment level: Organic materials are applied, stored, and/or handled to mitigate negative impacts to surface water sources.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
Livestock access to stream is controlled OR limited to small watering or crossing areas	Yes ☐ No ☐

Petroleum, Heavy Metal and Other Pollutants Transported to Surface Water

Planning Criteria	Planning Criteria Met
Screening level: Activities do not present the potential for contamination by petroleum, heavy metals and other pollutants. Assessment level: Petroleum, heavy metals or other potential pollutants are stored and handled to avoid runoff to surface water.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
Drainage and erosion control measures are implemented on trails and landings to minimize detrimental effects of concentrated flow, erosion and sedimentation. Stream crossings are restored and stabilized.	Yes ☐ No ☐

CSP-2017-1_ND - NIPF_Forest

Excessive Sediment in Surface Water

Planning Criteria	Planning Criteria Met
Screening level: There are no untreated sources of erosion AND streams or shoreline are not on or adjacent to site. Assessment level: Upslope treatment and buffer practices address concentrated flows to water bodies AND heavy use areas are stable AND the SVAP2 - bank condition is >= 5.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
The land adjacent to a stream, river, or other waterbody on the side or sides you control does: - have diverse, natural plant cover typical to that along streams in your area, - extend from the stream bank/shoreline for a distance of 35 feet or (if applicable) the minimum State buffer-width requirement, whichever is greater, AND - have few places where concentrated runoff flows through.	Yes ☐ No ☐
Drainage and erosion control measures are implemented on trails and landings to minimize detrimental effects of concentrated flow, erosion and sedimentation. Stream crossings are restored and stabilized.	Yes ☐ No ☐

Elevated Water Temperature

Planning Criteria	Planning Criteria Met
Screening level: Water courses on or adjacent to the site are not designated by a State Agency as a temperature impairment OR water course temperature is not a client concern. Assessment level: The SVAP2 - riparian area quality element score is >= 5 AND the SVAP2 - riparian area quantity quality element score is >= 5 AND the SVAP2 - canopy cover element score is >= 6, OR existing conservation practices are in place to address water temperature.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
More than 50 percent of the water surface is shaded on the length of the stream/river you control.	Yes ☐ No ☐

CSP-2017-1_ND - NIPF_Forest

Air Quality Impacts

Emission of Greenhouse Gases (GHGs)

Planning Criteria	Planning Criteria Met
Screening level: Activities are not present that produce GHGs emissions. GHG producing activities are: Fertilization(manure/commercial), CAFO/manure management, Engines (combustion source), Tillage, AND GHGs are not regulated in this planning area. Assessment level: Greenhouse gas emmissions are managed to meet client objectives.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
The forest or woodlot is fully stocked with tree species adapted to the site. Species have high-growth rates or long life span with the ability to reach a large size.	Yes ☐ No ☐

CSP-2017-1_ND - NIPF_Forest

Degraded Plant Condition

Undesirable Plant Productivity and Health

Planning Criteria	Planning Criteria Met
Screening level: Plant production and health is not a client concern. Assessment level: Forest species are adapted to site AND composition and stand density meets the client's objectives and production goals.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
The forest or woodlot is fully stocked with tree species adapted to the site, has spacing for good tree growth and air flow between and beneath, does not have excessive tree mortality, has an understory made up of desirable species and is not inhibited by brush or other undesirable vegetation. Monitoring for Insects and disease is completed to prevent outbreaks that would be detrimental to forest health.	Yes ☐ No ☐
Trees/shrubs are pruned to improve plant productivity, health, and vigor.	Yes ☐ No ☐

Inadequate Structure and Composition

Planning Criteria	Planning Criteria Met
Screening level: Plant communities support the intended land use and desired ecological functions. Assessment level: Plant communities contain adequate diversity, composition and structure to support desired ecological functions.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
Trees/shrubs are pruned to improve plant structure and composition.	Yes ☐ No ☐
The forest or woodlot is fully stocked with tree species adapted to the site, has spacing for good tree growth and air flow between and beneath, does not have excessive tree mortality, has an understory made up of desirable species and is not inhibited by brush or other undesirable vegetation	Yes ☐ No ☐

CSP-2017-1_ND - NIPF_Forest

Excessive Plant Pest Pressure

Planning Criteria	Planning Criteria Met
Screening level: Plant productivity is not limited from pest pressure. Assessment level: Pest damage to plants are below economic or environmental thresholds or client-identified criteria AND plant pests, including noxious and invasive species are managed to meet client objectives.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
Invasive and noxious weeds are controlled or not present.	Yes ☐ No ☐
Trees are selected or planted that are tolerant of known damaging pests.	Yes ☐ No ☐
The current plant composition prevents outbreak of non-desirable species.	Yes ☐ No ☐

CSP-2017-1_ND - NIPF_Forest

Wildfire Hazard, Excessive Biomass Accumulation

Planning Criteria	Planning Criteria Met
Screening level: Wildfire hazards is not a concern. Assessment level: Fuel loads and fuel ladders are managed to provide defensible space and meet client objectives.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
Sites needing wildfire protection or using prescribed burning have a permanent or temporary strip of bare or vegetated land that retards fire.	Yes ☐ No ☐
Trees/shrubs are pruned to reduce wildfire hazard and/or excessive biomass accumulation.	Yes ☐ No ☐
The forest or woodlot is fully stocked with tree species adapted to the site, has spacing for good tree growth and air flow between and beneath, does not have excessive tree mortality, has an understory made up of desirable species and is not inhibited by brush or other undesirable vegetation. Monitoring for Insects and disease is completed to prevent outbreaks that would be detrimental to forest health. Woody debris on the forest floor supports wildlife but does not present an elevated fire risk.	Yes ☐ No ☐
Fire risk to sensitive sites are controlled by treatment, removal or modification of vegetation, debris and detritus in a strip or area.	Yes ☐ No ☐
On sites needing wildfire protection, a hazardous fuel reduction treatment has occurred or will occur.	Yes ☐ No ☐

CSP-2017-1_ND - NIPF_Forest

Fish and Wildlife - Inadequate Habitat

Inadequate Habitat - Food

Planning Criteria	Planning Criteria Met
Assessment level: The WHSI rating is >= 0.5 AND (when surface stream present) the SVAP2 - fish habitat complexity element score is >= 7 AND the SVAP2 - aquatic invertebrate habitat element score is >= 7, OR conservation practices and managements are in place that meet or exceed species or guild-specific habitat model thresholds, OR food is available in quality and extent to support habitat requirements for the species of interest.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
The land adjacent to a stream, river, or other waterbody on the side or sides you control does: - have diverse, natural plant cover typical to that along streams in your area, AND - extend from the stream bank/shoreline for a distance of 35 feet or (if applicable) the minimum State buffer-width requirement, whichever is greater.	Yes ☐ No ☐
Designated areas are planted as food and habitat for pollinators/beneficial insects. For example, planted to nectar and pollen producing plants and protected from disruption--chemical, biological, or mechanical.	Yes ☐ No ☐
Plant growth and cover is managed to develop and maintain habitat to help threatened, endagered, or declining wildlife species.	Yes ☐ No ☐

Inadequate Habitat - Cover/Shelter

CSP-2017-1_ND - NIPF_Forest

Planning Criteria	Planning Criteria Met
Assessment level: The WHSI rating is >= 0.5 AND (when surface stream present) the SVAP2 - barriers to movement element score is >= 7 AND the SVAP2 - fish habitat complexity element score is >= 7 AND the SVAP2 - aquatic invertebrate habitat element score is >= 7, OR conservation practices and managements are in place that meet or exceed species or guild-specific habitat model thresholds, OR cover is of available quality and extent to support habitat requirements for the species of interest.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
Designated areas are planted as food and habitat for pollinators/beneficial insects. For example, planted to nectar and pollen producing plants and protected from disruption--chemical, biological, or mechanical.	Yes ☐ No ☐
The forest or woodlot is fully stocked with tree species adapted to the site, has spacing for good tree growth and air flow between and beneath, does not have excessive tree mortality, has an understory made up of desirable species and is not inhibited by brush or other undesirable vegetation. Monitoring for Insects and disease is completed to prevent outbreaks that would be detrimental to forest health. Woody debris on the forest floor supports wildlife but does not present an elevated fire risk.	Yes ☐ No ☐
Plant growth and cover is managed to develop and maintain habitat to help threatened, endagered, or declining wildlife species.	Yes ☐ No ☐
The stream(s) have: - a natural, unaltered configuration, with minimal channel straightening, dredging, or bank alteration by armoring with rip-rap or other non-natural materials, - stable banks with limited erosion or bank failure, and - human uses and/or grazing levels that do not negatively impact bank condition.	Yes ☐ No ☐
The plant cover provides cover and shelter for the chosen wildlife species.	Yes ☐ No ☐
The operation has areas suited for additional tree planting to benefit wildlife, either within existing plantings or areas not fully utilized.	Yes ☐ No ☐
Livestock access to stream is controlled OR limited to small watering or crossing areas	Yes ☐ No ☐

CSP-2017-1_ND - NIPF_Forest

Inadequate Habitat - Habitat Continuity (Space)

Planning Criteria	Planning Criteria Met
Assessment level: The WHSI rating is >= 0.5 AND (when surface stream present) the SVAP2 - barriers to movement element score is >= 7 AND the SVAP2 - aquatic invertebrate habitat element score is >= 7, OR conservation practices and managements are in place that meet or exceed species or guild-specific habitat model thresholds, OR The connectivity of habitat components are adequate to support stable populations of targeted species.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
The forest or woodlot is fully stocked with tree species adapted to the site, has spacing for good tree growth and air flow between and beneath, does not have excessive tree mortality, has an understory made up of desirable species and is not inhibited by brush or other undesirable vegetation. Monitoring for Insects and disease is completed to prevent outbreaks that would be detrimental to forest health. Woody debris on the forest floor supports wildlife but does not present an elevated fire risk.	Yes ☐ No ☐
There are documented occurrences of sensitive native plant communities within the forest. A conservation plan identifies goals for the plant community. Invasive plant monitoring has occurred, and control treatments have been implemented when necessary.	Yes ☐ No ☐
Connectivity between food resources and cover and shelter is provided for the chosen wildlife species. <see State Wildlife Action Plan>	Yes ☐ No ☐
Plant growth is managed to develop and maintain early successional habitat to help chosen wildlife species. <see State Wildlife Action Plan>	Yes ☐ No ☐
Designated areas are planted as habitat for pollinators/beneficial insects. Non-cropped area protected from disruption during nesting and foraging periods--chemical, biological, or mechanical.	Yes ☐ No ☐
The land adjacent to a stream, river, or other waterbody on the side or sides you control does: - have diverse, natural plant cover typical to that along streams in your area, - extend from the stream bank/shoreline for a distance of 35 feet or (if applicable) the minimum State buffer-width requirement, whichever is greater, AND - have few places where concentrated runoff flows through.	Yes ☐ No ☐

CSP-2017-1_ND - NIPF_Forest

Livestock Production Limitation

Inadequate Feed and Forage

Planning Criteria	Planning Criteria Met
Assessment level: When the land use has a "grazed" modifier, livestock forage, roughage and supplemental nutritional requirements addressed.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
An existing prescribed grazing plan is on schedule. Animal stocking levels and rotation periods are designed to avoid harm to sensitive plants.	Yes ☐ No ☐

Inadequate Shelter

Planning Criteria	Planning Criteria Met
Assessment level: When the land use has a "grazed" modifier, artificial or natural shelters meet animal health needs and client objectives.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
An existing prescribed grazing plan is on schedule. Animal stocking levels and rotation periods are designed to lessen exposure to inclement weather or other site specific concerns.	Yes ☐ No ☐

CSP-2017-1_ND - NIPF_Forest

Inadequate Water

Planning Criteria	Planning Criteria Met
Assessment level: When the land use has a "grazed" modifier, water of acceptable quality and quantity adequately distributed to meet animal needs.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
An existing prescribed grazing plan is on schedule. Animal stocking levels and rotation periods are designed to utilize available water sources without damaging them.	Yes ☐ No ☐

CSP-2017-1_ND - NIPF_Forest

Inefficient Energy Use

Farming/Ranching Practices and Field Operations

Planning Criteria	Planning Criteria Met
Screening level: Client is not interested in improving equipment and facilities energy efficiency. Assessment level: A USDA approved energy audit has been implemented that address equipment and facilities to meet client objectives OR On-farm renewable energy and/or energy conserving practices have been implemented to meet client objectives.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
Energy-efficient actions are used in forest management activities. For example, limiting the number of trips into the forest, or leaving woody residue in place if it is not a fire or pest hazard.	Yes ☐ No ☐